#### **WIRE NUTS**



Color-coded connector shells are made from high dielectric, smooth polypropylene plastic to eliminate porosity and surface cracking. Resists practically all chemical action – unaffected by gasolines, oils, diluted acids and alkaline solutions. Heat resistant up to 105°C (221°F).

D. Description		Quantity
22 -16	Gray, Non-Winged	100
22 - 14	Blue, Non-Winged	100
18 -14	Orange, Non-Winged	100
18 - 10	Yellow, Non-Winged	100
Assorted		55
18 - 8	Red, Winged	100
	22 -16 22 - 14 18 -14 18 - 10 Assorted	22 - 16 Gray, Non-Winged 22 - 14 Blue, Non-Winged 18 - 14 Orange, Non-Winged 18 - 10 Yellow, Non-Winged Assorted

## **HEAT SHRINK TUBING**



Part No.	Length			Quantity
N6370	Assorted (	6" Lengths.		12
	Includes:	1/8" Black	2 Pcs.	
		1/8" White	2 Pcs.	
		1/4" Black	2 Pcs.	
		1/4" White	2 Pcs.	
		1/2" Black	2 Pcs.	
		1/2" White	2 Pcs.	

## **CABLE STAPLES**



Part No.	Description	Quantity
N0274	1/2" x 1" Cable Staples, 350 Pcs.	1

# **CABLE MARKERS**



Made of vinyl impregnated cloth and mounted on dispenser cards in a portable book. All markers are designed for both above and below ground applications.

Part No.	Description	Quantity
N1002	"A-Z" and "0-15"	1
N1003	"#1 - #45"	1
N1009	"1-2-3" and "A-B-C"	1

# **TEST LEADS & CLIPS**



Part No.	Description	Quantity
N5031	8 Pieces, Color Coded	8
N5032	18" Jumper Wire	2
N5035	2" Alligator Clips	4
N5036	20 Amp Test Clip, 2-7/16"L, 5/8" Spread	2
N5042	E-Z Hook, Large 18 Ga.	2
N6025	Compressor Lead Kit	3









 <b>3</b>		00		<b>TERS</b>

	Part No.	Description	Quantity
	N0179	Plastic Handle Plug	2
		With Flexible Spring Prongs,	
N0179		2 Pole, 2 Wire, 13/32" Cord Hole	
		15A-125V	
a Pus	N0419	Ground Adapter,	2
		Vinyl Construction,	
N2867		Polarized, 15A-125V	
11/2007	N2867	Armored Plug, Male, 2 Pole,	1
		3 Wire, 15A-125V	
	N2887	Armored Connector	1
		Female, 2 Pole, 3 Wire,	
N2887		15A-125V	

# **ELECTRICAL TAPE**




Part No.	Description	Quantity
N5255	All Purpose Vinyl Tape, 3/4" X 66' Roll	1

# **LIGHT BULBS ROUGH SERVICE**




Part No.	Wattage	Quantity
N5231	75 W	1
N5232	100 W	1

#### **CONDUIT FITTINGS**



# **NON-METALLIC LIQUID TIGHT CONDUIT FITTINGS**



## **HVAC WHIPS**



Part No.	Length	Wire Size	Connector	Quantity
N63124	1/2" x 4'	#10	1/2"	1
N63126	1/2" x 6'	#10	1/2"	1
N63344	3/4" x 4'	#8	3/4"	1
N63346	3/4" x 6'	#8	3/4"	1


#### **ELECTRICAL BOXES**





Part No.	Description	Quantity
N0360	Utility Box, 2-1/8" x 4" x 1-7/8" Deep, 1/2" Knockouts	1
N0361	Utility Box, 2-1/8" x 4" x 2-1/8" Deep, 1/2" Knockouts	1
N0362	1900 Shallow Box, 4" x 4" x 1-1/2" Deep, 21.0 Cu. In., 1/2" and 3/4" Knockouts	1
N0363	1900 Deep Box 4" x 4" x 2-1/8" Deep, 30.3 Cu. In., 1/2" and 3/4" Knockouts	1
N0364	Octagon Box 4" x 4" x 1-1/2" Deep, 1/2" and 3/4" Knockouts	1

## **ELECTRIC BOX & SWITCH COVERS**




## **FUSE & UTILITY COVER**




Part No.	Description	Quantity
N0381	Fuse / Outlet & Cover,	1
	1/2 Hp, Single Pole Switch, 125V	

## **ELECTRICAL RECEPTACLES**



## **WALL SWITCHES**



## TOGGLE SWITCHES All switches rated 10/15A, 125/250 V



Part No.	Description	Quantity
N0447	SPST, Bat Handle, On-Off	1
N0453	DPDT, On-On	1
N0454	SPDT, On-On	1
N0455	DPST, On-Off	1
N0494	DPDT, On-Off-On	1